

Automatic Thermal Monitoring System (ATHEMOS) for Deception Detection

P. Buddharaju¹ J. Dowdall¹ P. Tsiamyrtzis¹ D. Shastri¹ I. Pavlidis¹ M.G. Frank²

(1) Department of Computer Science, University of Houston, Houston, TX 77204
braju@cs.uh.edu, jbdowdal@central.uh.edu, djshastr@bayou.uh.edu, ipavli@central.uh.edu

(2) Department of Communication, Rutgers University, New Brunswick, NJ 08901
mgfrank@scils.rutgers.edu



Fig. 1
SYSTEM ARCHITECTURE

DESCRIPTION

Previous work has demonstrated the correlation of periorbital perfusion and stress levels in human beings. It has also been suggested that periorbital perfusion can be quantified through processing of thermal video. The idea has been based on the fact that skin temperature is heavily modulated by superficial blood perfusion. Proof of this concept was established for two different types of stress inducing experiments: startle and mock-crime polygraph interrogations. However, the polygraph interrogation scenarios were simplistic and highly constrained. In the present video, we report results on a large and realistic mock-crime interrogation experiment. The interrogation is free flowing and no restrictions have been placed on the subjects. We propose a new methodology to compute the average periorbital temperature signal. The present approach addresses the deficiencies of the earlier methodology and is capable of coping with the challenges posed by the realistic setting. Specifically, it features a tandem condensation tracker to register the periorbital area in the context of a moving face. It operates on the raw temperature signal and tries to improve the information content by suppressing the noise level instead of amplifying the signal as a whole. Finally, a pattern recognition method classifies stressful (Deceptive) from non-stressful (Non-Deceptive) subjects based on a comparative measure between the interrogation signal (baseline) and portions thereof (transient response). Figure 1 depicts the overall system architecture. The successful classification rate is 87.2% for 39 subjects. This is in par with the success rate achieved by highly trained psychophysiological experts and opens the way for automating lie detection in realistic settings.

ACKNOWLEDGEMENTS

This research was supported by DARPA/ONR grant #N00014-03-1-0622 ('Thermal Imaging Experimentation and Analysis for Deception Detection'), DARPA/ONR grant #N00014-03-1-0847 ('Remote Measures in the Detection of Deception in a Counter-Terror Situation'), DARPA/ONR grant #N0014-02-1-0709 ('Robust Face Recognition from a High Stakes Paradigm'), and by the University of Houston start-up funds of Professor I. Pavlidis. The views expressed in this paper do not necessarily reflect the views of the funding Agencies. We would like to express our gratitude to Dr. Ralph Chatham (DARPA Program Manager), Dr. Jonathon Philips (DARPA Program Manager), and Dr. Thomas McKenna (ONR Program Manager) for their support. We would also like to thank Dr. Arcangelo Merla (University of Chieti), Amy Keller, and Sinuk Kang (Rutgers University), and Prof. Marc Garbey (University of Houston) for their valuable help. Finally, we are indebted to DOD Polygraph Institute and its Chief of Research Dr. Andrew H. Ryan, Jr. for their multi-faceted support since 2000. Thanks to this support we were able to build the technology base, which made further basic research possible.

REFERENCES

- [1] I. Pavlidis, J. Levine, and P. Baukol. Thermal imaging for anxiety detection. In *Proceedings of the 2000 IEEE Workshop on Computer Vision Beyond the Visible Spectrum: Methods and Applications*, pages 104-109, Hilton Head Island, South Carolina, June 16 2000.
- [2] I. Pavlidis, N. L. Eberhardt, and J. Levine. Human behavior: Seeing through the face of deception. *Nature*, 415(6867):35, January 3 2002.
- [3] I. Pavlidis and J. Levine. Thermal image analysis for polygraph testing. *IEEE Engineering in Medicine and Biology Magazine*, 21(6):56-64, November/December 2002.
- [4] C. Eveland, D. Socolinsky, and L. Wolff. Tracking human faces in infrared video. *Image and Vision Computing*, 21:578-590, July 2003.